Maxani Acetic eardrops 10 and 20 ml

COMPOSITION

Contains: acetic acid, propylene glycol

APPLICATION

Acidic ear drops are used in dogs and cats. Acetic acid makes the environment in the external ear canal more acidic. As a result, the environment in the external ear canal becomes unfavorable for microorganisms. The drops can be used for dogs or cats that frequently experience irritated ears and for dogs that swim often.

ADVERSE REACTIONS

None known.

CONTRAINDICATIONS

Do not use in case of ulcerations of the external ear canal, this may hurt. Do not use if the eardrum is perforated. Therefore, consult a veterinarian first.

METHOD AND ROUTE OF ADMINISTRATION

Consult a veterinarian before use and follow the prescribed usage. The usual dosage for an irritated ear is 1-3 times a day with 3 to 10 drops, depending on the size of the animal, directly into the ear to be treated. Typically administer a quarter pipette (5-10 drops) per ear for a small dog (<10kg) and half a pipette (10-20 drops) per ear for a larger dog (>10kg). For maintenance, the usual dose is 1-3 times a week, and for dogs experiencing discomfort due to swimming, it is advisable to administer before or after swimming.

Ensure that the ear drops are at room temperature before administration, for instance, by warming the bottle in your hand. After application, it's important to hold a hand on the ear for approximately 2 minutes to allow the drops to evenly disperse within the ear canal. Shaking the head afterward is not an issue. Avoid massaging the ear.

SHELF LIFE AND STORAGE CONDITIONS

Store refrigerated (2-8 °C) for a shelf life of 24 months from manufacture date. Store below 25 °C for a shelf life of 12 months from manufacture date. Shelf life after opening: 6 months. Keep out of sight and reach of children.

PACKAGE 10 ml en 20 ml vial

DISTRIBUTOR

Maxani Animal Healthcare B.V. Zuidergracht 21-18 3763 LS Soest Netherlands